

BUILDING PERMIT APPLICATION

2800 N. HORSESHOE DR., NAPLES, FL 34104 | TEL: (239)252-2400

Directions: Applicants must complete all fields. Please follow the Building Permit Application Instructions to complete this Application. Section A. Permit Number A.1. Permit # (Staff to provide): Section B. General Permit Information B.2. Master Permit # (fany): B.1. Primary Permit # (if any): Mobile/Manufactured home Commercial B.3. Building Type: 1 & 2 Family dwelling/Townhouse Residential 3+ units/Multi-family B.4. Permittee Type: Owner Builder Contractor O Design Professional Property Information Contractor Information B.5. Parcel/Folio #: 25117900227 CCC1330405 B.12. License #: 14920 LIGHTHOUSE ROAD, NAPLES, FL INTEGRITY ROOFING & GUTTERS INC B.6. Job Street Address: B.13. Company Name: CHANTELLE FERNANDEZ B.14. Qualifier Name: B.7. Owner Name: BRITTANY BAY PARTNERS II LTD B.15. Contact Name: CHANTELLE FERNANDEZ 9841 BERRY DEASE RD. ORLANDO FL, 32825 B.8. Owner Phone: B.16. Company Address: B.9. Subdivision: CAMDEN COVE TRACT A 407-960-4058 Lot/Block/Unit: B.17. Company Phone: 407-960-4059 B.10. SDP/PL#: B.18. Fax #: CHANTELLE@INTEGRITYROOFINGFL B.11. PL# Filename: B.19.a. "Email 1: FERNANDO@INTEGRITYROOFINGFL B.19.b. **Email 2: *Optional – Search existing Filenames on CityView Portal. **Do not use Email(s) as primary contact method. Section C. Application Information C.1. Subcontractors: □ELEC □PLUMB □ MECH ☑ Roof ☐ Septic ☐ Low Voltage ☐ Shutters ☐ ELECT from house Building (Alteration) C.2. Permit Type: \blacksquare C.8. Fire Sprinkled: C.3. Fire Permit Type: C.9. Permit by Affidavit: F C.4. Construction Type: C.10. Private Provider: C.5, Occupancy: C.11. Threshold Building: C.6. Water Service: C.12. Vegetation Clearing: C.7. Sewer Service: C.13. Related to DAMAGES INCURRED BY HURRICANE IRMA: (A) Yes (A) No Section D. Project Information D.1. Description of Work (provide below): D.2. Project Name (if any): **BRITTANY BAY PHASE II** D.3. Declared Value: \$33,000 REROOF DUE TO HURRICANE IRMA DAMAGE RE-ROOF USING ARCHITECTURAL SHINGLES FOR PHASE II 14920 LIGHTHOUSE ROAD - BUILDING 8 D.4. Residential Sq. Ft.: D.4.b. Work Area (Sq. Ft.) D.4.c. Work Area (Sq. Ft.) D.4.d. Totals by Area D.4.a. New Const. 0 New Const. (Complete D.4.a. & D.4.b.) # Stories: 0.4.b.i. Living: 0.4 ci. Living: TOTAL Living: Addition (Complete D.4.a. & D.4.b.) #Units: D.4.b.ii Non-living: D.4.c.i. Non-living: TOTAL Non-living Alteration (Complete D.4.c.) # Bedrooms: TOTAL: TOTAL: # Bathrooms: D.5. Commercial Sq. Ft.: D.S.a. New Const. D.5.b. Work Area (Sq. Ft.) D.5.c Work Area (Sq. Ft.) New Const. (Complete D.S.a. & D.S.b) # Stories: Interior: Interior:

Alteration (Complete D.5.c.) Section E. Staff Section

Addition (Complete D.S.a. & D.S.b.)

Units:

E.1. Final Review Date: E.2. Number of Plan Sets: E.3. Review Days: WT

Exterior:

TOTAL:

0

Exterior:

TOTAL:

0



2800 N. HORSESHOE DR., NAPLES, FL 34104 | TEL: (239) 252-2400

NOTICE OF COLLIER COUNTY ADDITIONAL REGULATIONS

NOTICE OF ADDITIONAL RESTRICTIONS: In addition to the requirements of this permit, there may be additional restrictions applicable to this property that may be found in the public records of this County, and there may be additional permits required from other governmental entities such as the Water Management District, State agencies, or Federal agencies.

WARNING OF POSSIBLE DEED RESTRICTIONS: The land subject to this permit may be subject to deed, and other restrictions that may limit or impair the landowner's rights. Collier County is not responsible for the enforcement of these restrictions, nor are Collier County employees authorized to provide legal or business advice to the public relative to these restrictions. The landowner or any applicant acting on behalf of the landowner is cautioned to seek professional advice.

WARNING OF WORK IN THE COUNTY RIGHT-OF-WAYS: This permit does not authorize construction or installation of any structure or utility, above or below ground, within any right of way or easement reserved for access, drainage or utility purposes. This restriction specifically prohibits fencing, sprinkler systems, landscaping other than sod, signs, water, sewer, cable and drainage work therein. If such improvements are necessary, a separate permit for that purpose must be obtained from the Growth Management Department.

NOTICE OF CLEARING RESTRICTIONS: The issuance of a building permit for a single-family dwelling allows up to one (1) acre of native vegetation to be cleared. Clearing more than one (1) acre may be allowed for accessory structures and requires a separate Vegetation Removal Permit. Properties located in the following zoning district overlays may not be allowed to clear one (1) acre: Rural Fringe Mixed Use District (RFMU), Big Cypress Area of Concern (ACSC), and Special Treatment Overlay (ST). There may be additional restrictions related to clearing native vegetation and impacts to wetlands or protected species found on the property. State and Federal agency permits may be required. Contact the Growth Management Department's Environmental Services at (239) 252-2400 for additional information. Issuance of a Demolition Permit for a structure does not authorize removal of vegetation beyond the footprint of the structure. A Demo Permit is not a clearing permit.

WORK IN THE SPECIAL FLOOD HAZARD AREA: Be advised that Substantial Damage/Substantial Improvement requirements will apply to structures located in the Special Flood Hazard Area with Finished Floor Elevations below the Base Flood Elevation.

By initialing, I am acknowledging that I have read and understand this Notice of Collier County Additional Regulations.

Initiale

Owner or Agent of Owner's or Contractor's initials are required.



BUILDING PERMIT APPLICATION

2800 N. HORSESHOE DR., NAPLES, FL 34104 | TEL: (239) 252-2400

ACKNOWLEDGEMENT OF COLLIER COUNTY REGULATIONS

Application is hereby made to obtain a permit to do the work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work will be performed to meet the standards of all laws regulating construction in this jurisdiction. The permit or application fee may have additional fees imposed for failing to obtain permits prior to commencement of construction.

The approved permit and/or permit application expires if not commenced within 180 days from the date of issuance. The permittee further understands that only licensed contractors may be employed and that the structure will not be used or occupied until a certificate of occupancy is issued. By signing this permit application, I agree that I have been retained by the owner/permittee to provide contracting services for the trade for which I am listed. Furthermore, it is my responsibility to notify the Building Plan Review and Inspection Division should I no longer be the contractor responsible for providing said contracting services. I further agree that I understand that the review and issuing of this permit does not exempt me from complying with all County Codes and Ordinances. It is further understood that the property owner/permittee is the owner of the permit.

Note: An Owner-Builder must complete Sections A and B and the Owner-Builder Affidavit form.

SECTION A. OWNER or AGENT OF OWNER ACKNOWLEDGEMENT. The Contractor may sign as the Agent of Owner so long as Contractor's coppered with Owner permits such action: (Signature of Owner or Agent of Owner) The foregoing instrument was acknowledged before me this (name of person) who _____ is personally known to me, or who produced identification (type of identification): **HEATHER DURAN** Sea Notary Public - State of Florida ly Comm. Expires Feb 25, 2018 Commission # FF 095900 (Signature of Contractor) (Print name of Contractor) The foregoing instrument was acknowledged before me this (name of person) who produced identification of identification) WALTER FLORES Notary Signature: MY COMMISSION # GG 073136 Seal: EXPIRES: February 14, 2021 Bonded Thru Notary Public Underwriters

NOTICE OF COMMENCEMENT INFORMATION

Per Florida Statutes 73.135 a Notice of Commencement (NOC) is required for construction of improvements totaling more than 52,500, with certain exceptions. For A/C Repairs or Replacements a notice of commencement is required for improvements more than or equal to \$7,500. The applicant shall file with the issuing authority prior to the first inspection either a certified copy of the recorded NOC or a notarized statement that the NOC has been filed for recording, along with a copy thereof. In order to comply with the state requirement, permits will be placed in inspection hold until proof of the NOC is filed with the building permitting and inspection department. The issuing authority shall not perform or approve subsequent inspections until the applicant files by mail, facsimile, hand delivery, email or any other means such as certified copy with the issuing authority.

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT. A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION.

Rev 11-29-2017 v2



Re-Roofing Mitigation Package

To be filled out and included with all Residential Re-Roofing applications

1 - 3

Property Address: March Lighthuse Rd Permit Number:			
For the purpose of this document, sections cited are from Florida Building Code Sixth Edition (2017), Existing Building.			
Secondary Water Barrier: Section 706.7.2 A secondary water barrier shall be installed using one of the following methods when roof covering is removed and replaced:			
FOR: Asphalt shingles, Metal roof shingles, Mineral-surfaced roll roofing, Slate and slate type shingles, Wood shingles, Wood shakes, Metal roof panels, Photovoltaic Shingles:			
Outside the High-Velocity Hurricane Zone (Collier County). (<i>Please CIRCLE 1, 2, or 3 below, to indicate the underlayment according to the attached FBC Res 6th Ed. Ch9 Table R905.1.1.)</i> :			
1 2 or 3 Uncerlayment shall comply with Section R905.1.1 of the Florida Building Code, Residential.			
Specify Secondary Water Barrier: Phino Synthetic, 14-0403.18 Manufacturer Filt. Product approval number			
FOR: Clay or Concrete Shall comply with the manufacturer instructions or the FRSA/TRI Florida High Wind Concrete and Clay Roof Tile Installation Manual, 5 th Edition.			
Specify Secondary Water Barrier:/			
Exceptions:			
 Roof slopes < 2:12 having a continuous roof system shall be deemed to comply with Section 706.7.2 requirements for a secondary water barrier. 			
 Clay and concrete tile roof systems installed as required by the Florida Building Code are deemed to comply with the requirements of Section 706.7.2 for Secondary Water Barriers. 			
EG TOTAL			

Re-Roofing Mitigation Package

Roof Diaphragm

Contractor acknowledges that as required by Florida Building Code Sixth Edition (2017), Existing Building Section 707.3.2 the structure's Diaphragm will be evaluated and noted within Re-roof affidavit.

Roof to wall connections: FBC-E Section 706.8

1.	Was the building permit for the home construction applied for on or after September 14, 1993?		
	a. YES NO		
2.	If the answer to question number 1 is YES, then proceed to signature and permit submittal. (Documentation required substantiating this application).		
3.	If the answer to question number 1 is NO, applicant must provide documentation for the value of the building		
	(indicate type provided below):		
	a Copy of current home insurance summary sheet		
	b Copy of latest tax bill or Property Appraiser office webpage for the home		
	Note: the appraised value of the improvement determines the threshold amount.		
4. Based on documentation provided, is the value of the building \$300,000 or more?			
	a. YESNO		
5.	If the answer to question 4 is NO, proceed to signature and permit submittal.		
	If the answer to question 4 is YES, then, will evaluation and connections at prioritized and non-prioritized areas		
٠.	be completed for 15% of the cost of roof replacement? YESNO		
	(Hurricane Retro-fit afficavit will be required per FBC-E section 706.8 prior to Certificate of Completion and		
	retro-fit contractor shall be noted on permit)		
7.	If the answer to question 6 is NO, provide documentation of the cost of evaluation/installation and indicate "prioritized" areas in which will be enhanced up to 15% of roof replacement, See 8(a) for additional requirements. NOTICE: This documentation will be reviewed for appropriateness, since prescriptive methods of mitigating roof to wall connections provide necessary designs to accomplish roof to wall connection improvements. Misrepresentation of information above may be construed as a willful codeviolation.		
8.	An additional 15% of the cost of the re-roofing must be spent on enhanced connections, but the mitigation is not required to exceed that. The roof to wall connections must be enhanced to comply with FBC-E section 706.8. The priorities for upgrading are outlined in section 706.8.1.7. At least 15% shall be provided to the prioritized elements.		
	a. These items are required to be submitted:		
	 i. Permit description to include notation that Mitigation Retro-fit will be installed (Retro-fit work to be conducted by a residential, building or general contractor) 		
	ii. Sub affirmation form for contractor whom will install retro-fit components		
	iii. A plan indicating areas to be retro-fitted, connectors used, and fastener requirements.		
	iv. Any applicable documentation specified above.		
	Porto Chantelle Fernander 1/31/8		
	Signature Qualifier/Owner Bulder/ Print Name of Qualifier/Owner Builder/ Date		
	Authorized Agent		



Re-Roof Contractor Acknowledgement

Roof Diaphragm Analysis for Non Single family structures

707.3.2, Florida Existing Building Code Sixth Edition (2017) Roof diaphragms resisting wind loads in high-wind regions.

Where roofing materials are removed from more than 50 percent of the roof diaphragm or section of a building located where the ultimate design wind speed, V_{ult}, is greater than 115 mph, as defined in Section 1609 (the HVHZ shall comply with Section 1620) of the Florida Building Code, Building, roof diaphragms, connections of the roof diaphragm to roof framing members, and roof-to-wall connections shall be evaluated for the wind loads specified in the Florida Building Code, Building, including wind uplift. If the diaphragms and connections in their current condition are not capable of resisting at least 75 percent of those wind loads, they shall be replaced or strengthened in accordance with the loads specified in the Florida Building Code, Building.

that the requirements se	the Contractor/Qualifier do affirm and certify forth by the above noted section will be performed. Any required retrofit pell be recorded within the permit file and the permitting jurisdiction.
Qualifier's Name (Print)	Fumanda . Qualifier's Signature
STATE OF FLORIDA COUNTY The foregoing instrument	TY OF COLLIER was acknowledged before methis 1-31-18
	(Date) (Date) (Date)
(Name of Person Acknow	
or has produced(Type of ID)	(Signature and Seal of person taking Acknowledgement)
WALTER FLOR MY COMMISSION # 0 EXPIRES: February Bonded Thru Notary Public	ES G 073136 14, 2021