

## **Legal Description**

Of Part of Section 33, Township 47 South, Range 29 East, Collier County, Florida

COMMENCING at the Northeast corner of Section 16, Township 48 South, Range 29 East, Collier County, Florida;

Thence along the East line of said Section 33, South 00°14'32" East 27.59 feet;

Thence leaving said line, South 89°06'53" West 330.02 feet to the POINT OF BEGINNING;

Thence South 00°14'32" East 24.70 feet;

Thence South 05°51'27" West 199.81 feet;

Thence 446.67 feet along the arc of a non-tangential circular curve concave East having a radius of 4,126.29 feet through a central angle of 06°12'08" and being subtended by a chord which bears South 02°48'35" West 446.45 feet;

Thence South 00°14'33" East 370.28 feet;

Thence North 51°56'23" West 650.95 feet;

Thence North 13°56'57" East 142.69 feet;

Thence North 76°19'41" East 160.84 feet;

Thence North 61°43'54" East 107.89 feet;

Thence North 18°58'36" East 69.73 feet;

Thence North 01°36'49" West 341.03 feet;

Thence North 89°06'53" East 254.40 feet to the POINT OF BEGINNING.

Containing 6.79 acres, more or less.

Subject to easements and restrictions of record.

Bearings are based on the East line of Section 33 being South 00°14'32" East.

April 18, 2019

Certificate of authorization #LB-7866 Stantec Consulting Services, Inc. Registered Engineers and Land Surveyors


Hal

Lance T Miller, Professional Surveyor and Mapper #LS5627

Not valid unless embossed with the Professional's seal.

Ref.: 2H-216A Sheet 1

By:



## **Legal Description**

Of Part of Section 33, Township 47 South, Range 29 East, Collier County, Florida

COMMENCING at the Northeast corner of Section 16, Township 48 South, Range 29 East, Collier County, Florida;

Thence along the East line of said Section 33, South 00°14'32" East 27.59 feet;

Thence leaving said line, South 89°06'53" West 120.01 feet to the POINT OF BEGINNING:

Thence South 00°14'32" East 38.25 feet;

Thence South 05°51'27" West 211.00 feet;

Thence 377.93 feet along the arc of a non-tangential circular curve concave East having a radius of 3,918.14 feet through a central angle of 05°31'35" and being subtended by a chord which bears South 03°08'56" West 377.78 feet;

Thence South 26°31'54" West 466.70 feet;

Thence North 00°14'33" West 370.28 feet;

Thence 446.67 feet along the arc of a non-tangential circular curve concave East having a radius of 4,126.29 feet through a central angle of 06°12'08" and being subtended by a chord which bears North 02°48'35" East 446.45 feet;

Thence North 05°51'27" East 199.81 feet;

Thence North 00°14'32" West 24.70 feet;

Thence North 89°06'53" East 210.01 feet to the POINT OF BEGINNING.

Containing 4.02 acres, more or less.

Subject to easements and restrictions of record.


Bearings are based on the East line of Section 33 being South 00°14'32" East.

Certificate of authorization #LB-7866 Stantec Consulting Services, Inc. Registered Engineers and Land Surveyors

By: April 18, 2019
Lance T Miller, Professional Surveyor and Mapper #LS5627

Not valid unless embossed with the Professional's seal.

Ref.: 2H-216A Sheet 2



## **Legal Description**

Of Part of Section 33, Township 47 South, Range 29 East, Collier County, Florida

COMMENCING at the Northeast corner of Section 16, Township 48 South, Range 29 East, Collier County, Florida;

Thence along the East line of said Section 33, South 00°14'32" East 27.59 feet to the POINT OF BEGINNING;

Thence leaving said line, South 00°14'32" East 45.99 feet;

Thence South 05°51'27" West 224.83 feet;

Thence 95.78 feet along the arc of a non-tangential circular curve concave East having a radius of 3,798.14 feet through a central angle of 01°26'42" and being subtended by a chord which bears South 05°04'45" West 95.78 feet;

Thence South 26°31'54" West 293.01 feet;

Thence 377.93 feet along the arc of a non-tangential circular curve concave East having a radius of 3,918.14 feet through a central angle of 05°31'35" and being subtended by a chord which bears North 03°08'56" East 377.78 feet;

Thence North 05°51'27" East 211.00 feet;

Thence North 00°14'32" West 38.25 feet;

Thence North 89°06'53" East 120.01 feet to the POINT OF BEGINNING.

Containing 1.38 acres, more or less.

Subject to easements and restrictions of record.

Bearings are based on the East line of Section 33 being South 00°14'32" East.

Certificate of authorization #LB-7866 Stantec Consulting Services, Inc. Registered Engineers and Land Surveyors

By: \_\_\_

April 18, 2019

Lance T Miller, Professional Surveyor and Mapper #LS5627

Not valid unless embossed with the Professional's seal.

Ref.: 2H-216A Sheet 3